






04.04.2016

" - " ()						
		(EN 1433)	100 000	200 000	200 000	
		100	(15 -	250)	
	7010	DN 100 60 (1000 140 60)	-	960	890	840
	701009 *	DN 100 60 (1000 140 60)	-	1 300	1 200	1 160
	7030	DN 100 100 (1000 140 100)	-	1 100	1 060	1 000
	703009 *	DN 100 100 (1000 140 100)	-	1 500	1 400	1 322
	7000	DN 100 130 (1000 140 130)	-	1 490	1 380	1 295
	700009 *	DN 100 130 (1000 140 130)	-	1 900	1 750	1 615
		100	(15 -	250)	
	7080	DN 100 (500 140 390)	-	3 980	3 700	3 485
		100	(15 -	250)	
	2010	DN 100 (1000 136 3)		375	330	310
	20101	DN 100 (1000 136 3)		375	330	310
	20901	DN 100 (1000 136 3)		1 426	1 273	1 171
	20601	DN 100 (1000 136 3)				
	202026	DN 100 (1000 136 3)	-	1 158	1 015	955
 PROTEKTOR	203032	DN 100 (500 136 15)	-	478	427	393
	20303	DN 100 (500 136 15)	-	430	400	380
	203036	DN 100 (500 136 15)	-	680	640	600
	20403	DN 100 (500 136 15)	-	478	427	393
	204036	DN 100 (500 136 16)	-	680	640	600
		100	(15 -	250)	
	6080	117 30 15	-	69	66	59
	6800	117 26 20,1	-	70	64	58
	6160	1000 23 25	-	140	130	120
	6101	141 125	-	141	134	120

EN 1433, EN 124, 3634-99:

-  A 15 (15 KN) ...
-  B 125 (125 KN) ...
-  C 250 (250 KN) ...

 **D 400** (400 KN)
 **E 600** (600 KN)

