










04.04.2016

" - " ()							
		(EN 1433)	100 000	200 000	200 000		
		70	(15)		
	088011	DN 70 (1000 90 90)		450	402	370	
	088081	DN 70 (1000 90 90)		422	377	347	
		100	(15)		
	08818	DN 100 (1000 135 70)		475	450	425	
S'Park							
/	S'Park,	6828	125 90	-	75	67	62
08818							
	S'Park,	6822	90 90	-	47	42	39
088011, 088081							
	S'Park	6825	110 110 40	-	75	67	62
(110)							
	S'Park ()	6823	57	-	75	67	62
08818							
	S'Park	6821/1	125 72	-	75	67	62
08818							
		100	(15 - 250)		
	8050	DN 100 55 (1000 145 55)	-	280	250	230	
	80509 *	DN 100 55 (1000 145 55)	-	291	260	239	
	8010	DN 100 80 (1000 145 80)	-	311	278	255	
	8020	DN 100 120 (1000 160 120)	-	353	315	290	
	8000	DN 100 155 (1000 160 155)	-	460	402	370	
	8040	DN 100 200 (1000 160 200)	-	516	461	424	
		100	(15 - 250)		
	8057	DN 100 55 (1000 145 55)	-	610	544	501	
	8017	DN 100 80 (1000 145 80)	-	666	595	547	
	8027	DN 100 120 (1000 160 120)	-	713	637	586	
	8007	DN 100 155 (1000 160 155)	-	769	687	632	
	8047	DN 100 200 (1000 160 200)	-	835	745	686	
		100	(15 - 250)		
	8080	DN 100 (500 160 420)	-	1 400	1 350	1 300	

100 (15 - 250)						
	2010	DN 100 (1000 136 3)		375	330	310
	20101	DN 100 (1000 136 3)		375	330	310
	20901	DN 100 (1000 136 3)		1 426	1 273	1 171
	20601	DN 100 (1000 136 3)				
	202026	DN 100 (1000 136 3)	-	1 158	1 015	955
	203032	DN 100 (500 136 15)	-	478	427	393
PROTEKTOR	20303	DN 100 (500 136 15)	-	430	400	380
	203036	DN 100 (500 136 15)	-	680	640	600
	20403	DN 100 (500 136 15)	-	478	427	393
	204036	DN 100 (500 136 16)	-	680	640	600
	20801	DN 100 (500 136 18)		169	160	149
100 (15 - 250)						
	6080	117 30 15	-	69	66	62
	6800	117 26 20,1	-	70	64	58
	6160	1000 23 25	-	140	130	120
	6830	160 165	-	103	92	85
	6831	155 69 8020 8000 8027 8007 8050 805009 8010 8057 8017	-	75	67	62
()	6101*	160 200		141	126	116
8040 8047	6301	160 201		141	126	116
8040 8047	6850/1-2	120 65		75	67	62
80/120	6850/2-0	120 95		94	84	77
120/155	6850/0-4	120 105		141	126	116
155/200						

		200		(15 - 250)		
	8540	DN 200	200 (1000 260 200)	-	731	653	600
	8547 *	DN 200	200 (1000 260 200)	-	1 135	1 013	932
	8510	DN 200	80 (1000 256 80)	-	630	563	518
	8517 *	DN 200	80 (1000 256 80)	-	1 022	913	840
	8560	DN 200	200 (1000 260 300)	-	1 000	938	879
		200		(15 - 250)		
	2510	DN 200	(1000 236 15)		938	838	770
	2590	DN 200	(1000 236 15)		2 026	1 809	1 664
	2520	DN 200	(1000 236 33)	-	2 190	1 950	1 820
	25303	DN 200	(500 236 14)	-	916	818	752
	25403	DN 200	(500 236 14)	-	1 022	913	840
		200		(15 - 250)		
	6105		235 30 20	-	110	103	96
	6850-50		200 30 26	-	170	159	148
	6850-50		200 30 26	-	170	159	148
	6135		260 200	-	178	159	146
	6351		256 80	-	169	151	139
	6854		280 200	-	178	159	146
80200	6855/4-2		205 144		206	184	170

300 (15 - 250)						
	087001	DN 300 348 (1000 385 348)	-	7 400	6 500	5 980
	087003	DN 300 348 (1000 385 348)	-	9 849	8 794	8 090
	8740	DN 300 348 (1000 385 348)	-	2 800	2 500	2 300
() 	27403	DN 300 (500 373 45)	-	3 424	3 057	2 812
() 	2720	DN 300 (1000 373 30)	-	3 658	3 266	3 005
DN 300 	6371	(385 354)	-	480	469	419
200 280 C -20 	28323	750 200 23	-	2 550	2 400	2 300
() C -20 	28333	750 300 23	-	4 300	4 000	3 768
() C -20 	28343	750 400 23	-	5 300	4 900	4 606
500 (15 - 250)						
Basic 	89001	1000 600 560	-	4 980	4 645	4 355
PolyMAX 	08900121	1000 600 560	-	10 500	9 800	9 200
() 89001; 08900121	6391	600 560	-	1 050	980	920

-  A 15 (15 KN)
-  B 125 (125 KN)
-  C 250 (250 KN)
-  D 400 (400 KN)
-  E 600 (600 KN)

EN 1433, EN 124, 3634-99: